



**OFFICE OF THE PRINCIPAL  
INDIRA GANDHI MAHILA MAHAVIDYALAYA**

**AT/PO-UDALA, DIST-MAYURBHANJ**

**(Affiliated to Maharaja SriramchandraBhanjdeo University, Baripada)**

**Ph: 7894487099 / 06795-232277 (O), Web: [www.igmm.ac.in](http://www.igmm.ac.in) Email: [igmm.degreeudala@gmail.com](mailto:igmm.degreeudala@gmail.com)**

**QUOTATION CALL NOTICE**

**No- IGMM/244**

**date -25.04.2025.**

Sealed quotations are invited from registered firms or authorized dealers having (a) **O.E.M. Authorization (Original Equipment Manufacturer)**, (b) **Valid AadharUdyog Registration**, (c) **Office as well as Service-Center in the State of Odisha**, (d) **valid GST**, (e) **PAN and Income Tax Clearance for procurement of Desktop Computers**, Multifunctional Printers, UPS, LED TV, Wireless Mic and Camera for Virtual meeting along with furnishing the copy of above documents. The price should be included GST & transportation and installation. The quotations should reach the undersigned on or before 2.05.2025 by 10 AM, through registered post or Speed Post. The sealed quotations can also be dropped in the box in college office. The authority reserves the right to reject or cancel any or all quotations without assigning any reason thereof. The dealers should write the name of the materials for which rate is quoted on the top of the envelope. Quotations will be opened at 10.30 A.M on 2.05.2025 in the Principal's chamber. Intending bidders or their representatives may attend at the time of opening the quotations.

The details of the quotations along with terms and conditions and specifications (as per Annexure B can be obtained from the office website –[www.igmm.ac.in](http://www.igmm.ac.in)).

Bidders who have already submitted the sealed in quotations need not apply again however they have to furnish the above documents at the time of opening of the quotations.

*[Signature]*  
Principal Cum-Secretary  
IGMM Mahavidyalaya  
Udalā, Mayurbhanj

Copy forwarded to the notice board of SDIPRO, UDALA/notice board of sub-collector, Udalā for wide circulation and information/college website-[www.igmm.ac.in](http://www.igmm.ac.in).

*[Signature]*  
Principal Cum-Secretary  
IGMM Mahavidyalaya  
Udalā, Mayurbhanj

## Desktop Specification ✓

| Items                                                     | Specification                                                                                                                                                                                                                                                                    |
|-----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Cabinet Form Factor                                       | Tower/Micro Tower (15.1 to 26 Litres)                                                                                                                                                                                                                                            |
| Chipset Number                                            | Intel H670/Intel® H770 or higher Chipset                                                                                                                                                                                                                                         |
| Processor Make                                            | Intel                                                                                                                                                                                                                                                                            |
| Processor                                                 | x86 64-bit architecture                                                                                                                                                                                                                                                          |
| Processor Generation                                      | 13 Or higher                                                                                                                                                                                                                                                                     |
| Processor Description                                     | Intel Core i3 or higher                                                                                                                                                                                                                                                          |
| Processor Number                                          | Intel Core i3 13100 or higher                                                                                                                                                                                                                                                    |
| Number of Cores and Threads per Processor                 | Max Turbo Frequency 4.5Ghz, Minimum 4 Cores and 8 Threads or higher                                                                                                                                                                                                              |
| Operating System                                          | Windows 11 Home Factory Preloaded                                                                                                                                                                                                                                                |
| RAM Size (GB)                                             | DDR-4 8GB 3200 (16 X1) or higher (2 DIMM Slots)                                                                                                                                                                                                                                  |
| RAM Expandability up to (using spare DIMM Slots in GB)    | 64 GB or higher                                                                                                                                                                                                                                                                  |
| Integrated Graphics                                       | Intel UHD Graphics 770 or higher                                                                                                                                                                                                                                                 |
| Supported for discrete NVIDIA/AMD Graphics Card up to 6GB | Yes                                                                                                                                                                                                                                                                              |
| Type of Drives used to populate the Internal Bays         | NVMe SSD                                                                                                                                                                                                                                                                         |
| Total HDD Capacity (GB)                                   | NA                                                                                                                                                                                                                                                                               |
| Total SSD Capacity (GB)                                   | 512GB NVMe SSD                                                                                                                                                                                                                                                                   |
| Optical Drive                                             | Optional                                                                                                                                                                                                                                                                         |
| Drive Bays                                                | Two 3.5" (2.5") HDD                                                                                                                                                                                                                                                              |
| Slots for Upgradation                                     | 1 PCI Express 4.0 x16,<br>1 PCI Express 3.0 x1,<br>1 PCI (Full Height),<br>2 M.2 slots for WLAN & SSD                                                                                                                                                                            |
| LAN                                                       | LAN: Integrated 10/100/1000M                                                                                                                                                                                                                                                     |
| Ports and Connectors                                      | Front: 1 headphone/microphone combo; 3 Super Speed USB 5Gbps signalling rate; 2 SuperSpeed USB 10 Gbps signalling rate; 1 USB Type-C, total 6nos USB in front for easy access<br>Rear: 1 HDMI; 1 Serial Port; 1 line in; 1 line out; 1 power connector; 1 RJ-45; 1 DP; 2 USB 2.0 |
| Firmware Trusted Platform Module                          | TPM 2.0                                                                                                                                                                                                                                                                          |
| Hardware Security lock slot                               | Security lock slot                                                                                                                                                                                                                                                               |
| Power Supply                                              | 180-260Watt Internal power supply with minimum 90% efficiency                                                                                                                                                                                                                    |
| Certification                                             | Bidder should submit OEM bid specific authorization & the same authorization may be verified by the respective OEM if required.                                                                                                                                                  |
|                                                           | OEM must have the ISO 9001,14001, ISO 20001, ISO 27001 Certificate                                                                                                                                                                                                               |
|                                                           | Microsoft Windows, Energy star 8.0 certified                                                                                                                                                                                                                                     |
|                                                           | Bidder should submit BIS, BEE, EPEAT, UL, RoHS Certificate of products at the time of participation of the Bid.                                                                                                                                                                  |
| Keyboard Mouse                                            | USB Keyboard; USB Optical Mouse                                                                                                                                                                                                                                                  |
| Monitor                                                   | 19.5" LED Display with CTO Certified and same must be belongs to the same OEM                                                                                                                                                                                                    |
| Years of Warranty                                         | 3 Year Onsite Warranty                                                                                                                                                                                                                                                           |

②

ups

| 600 VA Line Interactive UPS Specifications |                                         |                                                                                                                                                         |
|--------------------------------------------|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sl. No.                                    | Feature                                 | General Specifications                                                                                                                                  |
| 1                                          | UPS Capacity (total)                    | 600VA/360W                                                                                                                                              |
| 2                                          | Input Voltage                           | 230 VAC nominal                                                                                                                                         |
| 3                                          | Input Frequency                         | 45 - 65 Hz                                                                                                                                              |
| 4                                          | Brownout Transfer                       | 145 VAC typical                                                                                                                                         |
| 5                                          | Over-voltage Transfer                   | 290 VAC typical                                                                                                                                         |
| 6                                          | Voltage on Battery                      | 230 VAC typical (stepped approximated sine wave)                                                                                                        |
| 7                                          | Frequency - On Battery                  | 50Hz typical                                                                                                                                            |
| 8                                          | Transfer Time                           | @50 Hz - 6 ms typical, 10 ms max                                                                                                                        |
| 9                                          | Air Ventilation                         | Should have Side and Back Honey bee Perforation for heat dispersion                                                                                     |
| 10                                         | Protection from Humidity & Dust         | UPS Should have conformal paint coating on PCB for Insulation for Dust and Humidity                                                                     |
| 11                                         | Battery Saver Option                    | UPS Should have Battery Saver Option to increase the life of the Battery upto 5 years                                                                   |
| 12                                         | No Load Shutdown                        | UPS Should work on loads of 2-3 watts also                                                                                                              |
| 13                                         | AC Surge Protection                     | Full time, 160 joules                                                                                                                                   |
| 14                                         | Automatic Re start of UPS               | In case the UPS backup is totally drained and automatic switched off, when the grid power resumes the UPS Should Auto Start without human interference. |
| 15                                         | Type (maintenance-free)                 | 12V, 7.2 Ah                                                                                                                                             |
| 16                                         | Typical recharge time                   | 4-6 hours                                                                                                                                               |
| 17                                         | Operating Temperature                   | 0°C to 40°C                                                                                                                                             |
| 18                                         | Storage Temperature                     | -15°C to 45°C                                                                                                                                           |
| 19                                         | 3 power outlets                         | With battery backup and surge protection                                                                                                                |
| 20                                         | Power Cord                              | 1.2 meters                                                                                                                                              |
| 21                                         | Runtime for Single PC load (60W ± 15W)  | 27 min (normal mode)                                                                                                                                    |
| 22                                         | Runtime for Workstation PC (100W ± 15W) | 13 min (normal mode)                                                                                                                                    |
| 23                                         | Battery Saver (to save on battery life) | Thru toggle button on front panel                                                                                                                       |
| 24                                         | Certification                           | BIS                                                                                                                                                     |
| 25                                         | Designed and Manufactured in India      | Yes                                                                                                                                                     |
| 26                                         | Warranty                                | 2 years                                                                                                                                                 |

③

## PRINTER

| Generic                                                                                    |                                                                                                                |
|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| Description of Stores                                                                      | Multifunction Machine Printer with Minimum 1 Year On Site Warranty, including Cartridge and Power Cord/Adapter |
| Core Function                                                                              | Print, Scan and Copy                                                                                           |
| Print Technology                                                                           | Laser                                                                                                          |
| Cartridge Technology                                                                       | Composite Cartridge                                                                                            |
| Type of Printing                                                                           | Monochrome (Black)                                                                                             |
| RAM Size (MB)                                                                              | 256                                                                                                            |
| Storage Capacity (in GB)                                                                   | 0                                                                                                              |
| Features                                                                                   | Fax                                                                                                            |
| Operating System Compatibility                                                             | Windows 10 and Above, Linux, Mac OS, Windows Server                                                            |
| Printing                                                                                   |                                                                                                                |
| Print Paper Size                                                                           | A4 and Legal                                                                                                   |
| Minimum Print Speed per Minute as per ISO/IEC 24734 in A4 Size-Monochrome (Black) (in PPM) | 26 to 30                                                                                                       |
| Minimum Print Speed per Minute as per ISO/IEC 24734 in A4 Size-Colour (in PPM)             | Not Applicable                                                                                                 |
| Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Mono (in PPM)                     | Not Applicable                                                                                                 |
| Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Color (in PPM)                    | Not Applicable                                                                                                 |
| Auto Duplexing Printing/Coping (2-sided Feature)                                           | Yes                                                                                                            |
| Scanning                                                                                   |                                                                                                                |
| Maximum Scan Area (Platen/Flatbed Size)                                                    | A4 and Legal                                                                                                   |
| A4 Scan Speed - Colour (Image Per Minute) @ 300 x 300 dpi                                  | 11 to 20                                                                                                       |
| Scan To Functions                                                                          | Email                                                                                                          |
| A4 Scan Speed - Mono (Image Per Minute) @ 300 x 300 dpi                                    | 11 to 20                                                                                                       |
| COPYING                                                                                    |                                                                                                                |
| Reduction and Enlargement Feature                                                          | Yes                                                                                                            |

(4)

| PAPER HANDLING                                                                                                                                                    |                                         |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|
| Original Document Feeder Type<br>(For Scanning and Copying)                                                                                                       | Automatic Document Feeders (ADF)        |
| Feeder Capacity (Number of<br>Sheets) (For Scanning and<br>Copying)                                                                                               | 31 to 40                                |
| Number of Main Paper Tray                                                                                                                                         | 1                                       |
| Total Paper Tray Combined<br>Capacity (Number) at 75 GSM                                                                                                          | 101 to 200                              |
| Bypass Tray Facility                                                                                                                                              | No                                      |
| If Yes, Bypass Tray Capacity                                                                                                                                      | 0                                       |
| Connectivity                                                                                                                                                      |                                         |
| Connectivity                                                                                                                                                      | USB Port, Ethernet Port, Wi-Fi          |
| Accessories Provided                                                                                                                                              | USB Cable                               |
| Performance                                                                                                                                                       |                                         |
| Minimum Yield of the<br>Cartridge/Ink/Toner supplied<br>with Machine as per IS/ISO/IEC:<br>19752:2017 for Black (Number<br>of Prints)                             | 700                                     |
| Minimum Yield of the<br>Cartridge/Ink/Toner Supplied<br>with Machine as per IS/ISO/IEC:<br>19798:2017 for Cyan, Yellow<br>and Magenta Color (Number of<br>Prints) | 0                                       |
| Minimum Duty Cycle (Number<br>of Prints/Month)                                                                                                                    | 10,001 to 20,000                        |
| POWER                                                                                                                                                             |                                         |
| Power Supply                                                                                                                                                      | Single Phase AC 220 - 240 V, 50 - 60 Hz |
| Maximum Power Consumption<br>(in Watt)                                                                                                                            | 1300                                    |
| Environmental                                                                                                                                                     |                                         |
| Minimum Operating<br>Temperature (Degree C)                                                                                                                       | 10                                      |
| Maximum Operating<br>Temperature (Degree C)                                                                                                                       | 30                                      |

(5)

|                                                                                                                |                              |
|----------------------------------------------------------------------------------------------------------------|------------------------------|
| Minimum Operating Humidity (%RH)                                                                               | 20                           |
| Maximum Operating Humidity (%RH)                                                                               | 80                           |
| Dimension                                                                                                      |                              |
| Standard Machine Weight with Single Tray (in Kg)                                                               | 11                           |
| Certification                                                                                                  |                              |
| BIS CRS Compliance                                                                                             | Yes as per IS 13252 (Part 1) |
| Maximum Number of Prints covered under Product warranty (Whichever is earlier)                                 | 30000                        |
| EPR Registration in respect of the manufacturer/authorised importer as per E waste rules as amended up to date | Yes                          |
| Agreed to Provide a copy of EPR Registration Certificate to the Buyer on Demand                                | Yes                          |

(6)

## LED TV

|                       |                                        |                                                                                                                                                                                                |
|-----------------------|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General Features      | Screen Size                            | 65                                                                                                                                                                                             |
|                       | Brightness (cd/m <sup>2</sup> )        | 350Nits or better                                                                                                                                                                              |
|                       | Contrast Ratio                         | 1200:1                                                                                                                                                                                         |
|                       | Dynamic Contrast Ratio                 | 400,000:1                                                                                                                                                                                      |
|                       | Response Time (ms)                     | 8.0                                                                                                                                                                                            |
|                       | Display resolution (H x V, pixels)     | 3840 x 2160                                                                                                                                                                                    |
|                       | HDR (High Dynamic Range) compatibility | Yes (HDR10, HLG)                                                                                                                                                                               |
|                       | Aspect Ratio                           | 16:9                                                                                                                                                                                           |
|                       | Portrait/Tilt Compatibility            | Yes                                                                                                                                                                                            |
| Display features      | Dimming type                           | Frame Dimming                                                                                                                                                                                  |
|                       | Display Device                         | LCD                                                                                                                                                                                            |
|                       | Panel Type                             | IPS                                                                                                                                                                                            |
|                       | Backlight type                         | Direct LED                                                                                                                                                                                     |
|                       | Color gamut (NTSC)                     | 69%                                                                                                                                                                                            |
|                       | Operation time                         | 16/7                                                                                                                                                                                           |
|                       | Haze (%)                               | 1 %                                                                                                                                                                                            |
|                       | Viewing Angle (Right/Left)             | 178 (89/89) degree                                                                                                                                                                             |
|                       | Viewing Angle (Up/Down)                | 178 (89/89) degree                                                                                                                                                                             |
|                       | HDMI Signal                            | 4096 x 2160p (24, 50, 60 Hz),<br>3840 x 2160p (24, 25, 30, 50,<br>60 Hz), 1080p (30, 50, 60 Hz),<br>1080/24p, 1080i (50, 60 Hz),<br>720p (30, 50, 60 Hz),<br>720/24p, 576p, 576i<br>480p, 480i |
| Audio Specs           | Speaker Position                       | Down Firing                                                                                                                                                                                    |
|                       | Audio Power Output                     | 10W + 10W                                                                                                                                                                                      |
| Professional features | Pro settings                           | Yes (Simple Pro settings menu)                                                                                                                                                                 |
|                       | HDMI auto wake-up                      | Yes                                                                                                                                                                                            |
|                       | Operating System                       | Android TV                                                                                                                                                                                     |
|                       | On-board Storage (GB)                  | 16GB                                                                                                                                                                                           |
| Network Specs         | RAM                                    | 3GB                                                                                                                                                                                            |
|                       | Wi-Fi Certified                        | Yes                                                                                                                                                                                            |
|                       | Wireless LAN                           | Integrated                                                                                                                                                                                     |
| Convenience features  | USB playback codecs                    | MPEG1:MPEG1/MPEG2<br>PS:MPEG2/MPEG2<br>WEBM:AV1/AC4/ogg/AAC                                                                                                                                    |
|                       | On Screen Clock                        | Yes                                                                                                                                                                                            |
|                       | Sleep Timer                            | Yes                                                                                                                                                                                            |
|                       | On/Off Timer                           | Yes                                                                                                                                                                                            |
|                       | Chromecast built-in                    | Yes                                                                                                                                                                                            |
|                       | Apple AirPlay                          | Yes                                                                                                                                                                                            |
| Control Specs         | IP Control                             | Yes                                                                                                                                                                                            |
|                       | RS-232C Control                        | Yes                                                                                                                                                                                            |
|                       | HDMI-CEC                               | Yes                                                                                                                                                                                            |
|                       | HDCP                                   | HDCP2.3 (for HDMI1/2/3)                                                                                                                                                                        |
|                       | Composite Video Input (s)              | 1 (Side, Mini jack)                                                                                                                                                                            |

7

|                    |                                           |                            |
|--------------------|-------------------------------------------|----------------------------|
| Inputs and outputs | HDMI inputs total                         | 3 (3Side)                  |
|                    | Analog Audio Input (s) (Total)            | 1 (Side Analog Conversion) |
|                    | Digital Audio Output (s)                  | 1 (Side)                   |
|                    | USB ports                                 | 2 (Side)                   |
|                    | Ethernet inputs                           | 1 (Side)                   |
| Design features    | VESA® Hole Pitch (W x H)                  | 300 x 300 mm               |
| Environment Specs  | Rated Power Consumption                   | 226W                       |
|                    | Power Consumption (in Standby)            | 0.5 W                      |
|                    | Dynamic Backlight Control                 | Yes                        |
|                    | Power Saving Mode / Back Light Off Mode   | Yes                        |
| Measurements       | Dimension of TV without Stand (W x H x D) | 1462 x 842 x 71 mm         |
|                    | Dimension of TV with Stand (W x H x D)    | 1462 x 912 x 338 mm        |
|                    | Dimension of Package Carton (W x H x D)   | 1588 x 965 x 184 mm        |
| Weight             | Weight of TV without Stand                | 20.4 kg                    |
|                    | Weight of TV with Stand                   | 21.3 kg                    |
|                    | Weight of Package Carton (Gross)          | 28 kg                      |



# WEB CAM.

2/27/25, 11:48 AM

Buy Logitech Master Series Graphite MX Brio 4K Ultra Hd Web Camera, 960-001548 Online at Best Prices - Industrybuying.



coreindustrybuying.com



Offers: GST Benefit, Become a Seller, Bulk Order, FAQs, Track Order

Shop by Category **88** Industrybuying

Search Products by title, keywords, brand etc.



Login



Home / IT Security / Computer Accessories / WEBCAM / Logitech Master Series Graphite M

Share

Bulk Discount

Buy 3 items within 5 days

Logitech Master Series Graphite MX Brio 4K Ultra Hd Web Camera, 960-001548

Visit the Logitech Store

EMI starts at ₹7202/month. No Cost EMI available. EMI options

₹24,779 (incl. of all taxes)

₹20,889 + 18% GST

100% OFF on GST

Minimum Order Quantity: 1



## AVAILABLE OFFERS

View Offers

- Get up to ₹4,000\* on a min. order value of ₹3,499. First-time GET users only. T&C apply. 100%
- Get up to ₹3,500\* on a min. order value of ₹3,499. First-time GET users only. T&C apply. 100%

## FEATURES

More Details

|                   |                                                                                      |
|-------------------|--------------------------------------------------------------------------------------|
| Country of Origin | Switzerland                                                                          |
| Connectivity      | USB-C to USB-C Cable                                                                 |
| Focus Type        | Advanced Autofocus                                                                   |
| Package Contains  | MX Brio, Mount Clip with Removable Adapter, USB-C to C 3.0 Cable, User Documentation |

## Bulk quantity Discounts!!

| Select                | Quantity | Discounted price per piece (incl. of all taxes) |
|-----------------------|----------|-------------------------------------------------|
| <input type="radio"/> | 2-3      | ₹22,880.14                                      |
| <input type="radio"/> | 4-5      | ₹22,740.53                                      |
| <input type="radio"/> | 6-7      | ₹22,500.93                                      |
| <input type="radio"/> | 8-more   | ₹22,341.18                                      |

ADD TO CART

BUY NOW

- Request a Callback
- Get Customized Price
- Connect with a Product Expert

More Logitech WEBCAM products  
More WEBCAM products

Warranty as per brand

100% Original Products

Secure payments

100% Buyer protection

Top Brands

## SPECIFICATIONS

## DESCRIPTION

|                   |                                                                                      |
|-------------------|--------------------------------------------------------------------------------------|
| Country of Origin | Switzerland                                                                          |
| Connectivity      | USB-C to USB-C Cable                                                                 |
| Focus Type        | Advanced Autofocus                                                                   |
| Package Contains  | MX Brio, Mount Clip with Removable Adapter, USB-C to C 3.0 Cable, User Documentation |
| Microphone Type   | Dual Beamforming                                                                     |
| Width             | 98 mm                                                                                |
| Zoom              | 4x Digital Zoom                                                                      |
| Type of Product   | Web Camera                                                                           |
| Part No           | 960-001548                                                                           |
| Height            | 44 mm                                                                                |
| Weight            | 137 g                                                                                |
| Lens Type         | Glass                                                                                |
| Interface         | USB 3.0                                                                              |
| Color             | Graphite                                                                             |
| Resolution        | 4K/30 fps, 1080p/60 fps                                                              |
| Image Sensor      | 8.5 MP Sony STARVIS                                                                  |
| Model No          | 960-001548                                                                           |

## Check Delivery Details

Enter Pincode

|          |                                    |
|----------|------------------------------------|
| PREPAID  | Available                          |
| PART COD | Unavailable                        |
| COD      | Available                          |
| RETURN   | Available<br>Return period: 7 days |



Call Now  
We'll help with your purchase!